

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	74	(@ad<"20031201") and ((synchroniz\$8 or align\$8) near4 (time or clock)) same (wellbore or wellbor or "bore hole" or (oil near2 (well or drill or rig)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2007/07/21 14:29
L3	12	(@ad<"20031201") and ((synchroniz\$8 or align\$8) near4 (time or clock)) same (wellbore or wellbor or "bore hole" or (oil near2 (well or drill or rig))) and (surface near4 clock) and ((wellbore or wellbor or "bore hole" or (oil near2 (well or drill or rig) or downhole) near3 clock))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2007/07/21 14:30
L9	82	"schmalz, joseph".in. or "rojas, fabian".in. or "riley, marty".in. or "ray, andrew".in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/21 14:33
L10	4	("schmalz, joseph".in. or "rojas, fabian".in. or "riley, marty".in. or "ray, andrew".in.) and ((synchroniz\$7 or align\$5 or adjust\$5) near4 (time or clock))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/21 14:34
L12	31	halliburton.as. and ((synchroniz\$7 or align\$5 or adjust\$5) near4 (time or clock)).clm.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2007/07/21 14:35
S1	13	"4189705".pn. or "5295257".pn. or "5958060".pn. or "6389547".pn. or "6577231".pn. or "6606675".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 17:09
S7	25	(@ad<"20031201" or @rlad<"20031201") and ("709"/\$3.ccls. or "702"/\$3.ccls.) and ((adjust\$4 or synch\$6 or synchroniz\$5) near2 time) and (roundtrip with time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/11 10:07
S9	28	("709"/\$3.ccls. or "702"/\$3.ccls.) and ((adjust\$4 or synch\$6 or synchroniz\$5) near2 time) and (roundtrip with time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/11 10:42

EAST Search History

S10	0	((synch\$6 or synchroniz\$5) near2 time) and (roundtrip with time) and (sum near5 recorded near4 time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/11 10:27
S11	9	((synch\$6 or synchroniz\$5) near2 time) and (sum near5 recorded near4 time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/11 10:30
S12	47	((synch\$6 or synchroniz\$5) near2 time) and schlumberger.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/11 10:42
S13	1	"10439904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/11 10:39
S14	126	((synch\$6 or synchroniz\$5) near3 (time or clock)) and schlumberger.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/11 10:44
S15	172	((synch\$6 or synchroniz\$5) near3 (time or clock)) and (roundtrip with time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/21 14:32
S16	0	((synch\$6 or synchroniz\$5) near3 (time or clock)) and schlumberger.as. and ADSL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/11 10:43
S17	2	((synch\$6 or synchroniz\$5) near3 (time or clock)) and schlumberger.as. and asymmetric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/11 10:43
S18	0	((synch\$6 or synchroniz\$5) near3 (time or clock)) and (sum near8 (record\$4 near2 time)) schlumberger.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/11 10:44
S19	0	((synch\$6 or synchroniz\$5) near3 (time or clock)) and ((sum near8 (record\$4 near2 time)) or roundtrip near4 time) and schlumberger.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/11 10:45

EAST Search History

S20	21	((synch\$6 or synchroniz\$5) near3 (time or clock)) and (roundtrip with time) and (sum near5 time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/11 14:18
S21	10	((synch\$6 or synchroniz\$5) near3 (time or clock)) and (sum near5 time) and schlumberger.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/11 10:46
S22	50	asymmetric near5 (time or clock) near5 (transfer or synchroniz\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/11 14:51
S23	1	"20070147265"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/11 14:41
S24	4	asymmetric near5 time near2 (protocol or synchroniz\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/11 15:56
S25	50	asymmetric near4 time near2 delay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/11 15:56
S26	3	(asymmetric near4 time near2 delay) near10 (calculat\$5 or determin\$5 or deriv\$5 or ascertain\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/11 15:58
S27	61	(asymmetric near4 time near5 (delay or synchroniz\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/11 16:04
S28	1	"20070147562"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/11 16:00
S29	95	(asymmetric near4 (time or clock) near5 (delay or synchroniz\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/11 16:27

EAST Search History

S30	9	("4470093" "5809045" "5875402" "5958060" "6311307" "6456947" "6618648" "6662124" "6678134").PN. OR ("7126800").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/07/11 17:21
S34	1	"20040146056"	US-PGPUB; USPAT; USOCR	AND	ON	2007/07/19 12:34
S35	1	"20020061012"	US-PGPUB; USPAT; USOCR	AND	ON	2007/07/19 12:34
S36	8	"6512761"	US-PGPUB; USPAT; USOCR	AND	ON	2007/07/19 12:35
S37	1	"6360271".pn.	US-PGPUB; USPAT; USOCR	AND	ON	2007/07/19 12:36
S38	1	"6363056".pn.	US-PGPUB; USPAT; USOCR	AND	ON	2007/07/19 12:37
S39	100	(709/248.ccls.) and (@ad<"20031201" or @rlad<"20031201") and (asynchron\$5) and (synchron\$6 or align\$5 or updat\$5) near3 (time or clock)	US-PGPUB; USPAT; USOCR	AND	ON	2007/07/19 16:55
S40	328	(709/248.ccls.) and (@ad<"20031201" or @rlad<"20031201") and (synchron\$6 or align\$5 or updat\$5) near3 (time or clock)	US-PGPUB; USPAT; USOCR	AND	ON	2007/07/20 09:27
S41	11	(709/248.ccls.) and (@ad<"20031201" or @rlad<"20031201") and (synchron\$6 or align\$5 or updat\$5) near3 (time or clock) and (DSL or ADSL)	US-PGPUB; USPAT; USOCR	AND	ON	2007/07/19 16:57
S42	2	(709/248.ccls.) and (@ad<"20031201" or @rlad<"20031201") and (synchron\$6 or align\$5 or updat\$5) near3 (time or clock) and (ADSL or (asymmetric adj DSL) or ("asymmetric digital subscriber line"))	US-PGPUB; USPAT; USOCR	AND	ON	2007/07/19 16:58

EAST Search History

S43	0	(709/248.ccls.) and (@ad<"20031201" or @rlad<"20031201") and (synchron\$6 or align\$5 or updat\$5) near3 (time or clock) same (asymmetric)	US-PGPUB; USPAT; USOCR	AND	ON	2007/07/19 17:00
S44	0	(709/248.ccls.) and (@ad<"20031201" or @rlad<"20031201") and ((synchron\$6 or align\$5 or updat\$5) near3 (time or clock)) same asymmetric	US-PGPUB; USPAT; USOCR	AND	ON	2007/07/19 17:00
S46	64	((synchron\$6 or align\$5 or updat\$5) near3 (time or clock)) with asymmetric	US-PGPUB; USPAT; USOCR	AND	ON	2007/07/19 17:01
S47	3	(709/248.ccls.) and (@ad<"20031201" or @rlad<"20031201") and (synchron\$6 or align\$5 or updat\$5) near3 (time or clock) with ATM	US-PGPUB; USPAT; USOCR	AND	ON	2007/07/19 17:09
S50	0	(@ad<"20021201" or @rlad<"20021201") and (connect\$4 near5 (internet or network) near5 ADSL) and 709/248.ccls.	US-PGPUB; USPAT; USOCR	AND	ON	2007/07/19 17:10
S52	98	(@ad<"20021201") and (connect\$4 near5 (internet or network) near5 ADSL) and "709"/\$3.ccls.	US-PGPUB; USPAT; USOCR	AND	ON	2007/07/19 17:11
S53	1	(@ad<"20021201") and (connect\$4 near5 (internet or network) near5 ADSL).ab. and "709"/\$3.ccls.	US-PGPUB; USPAT; USOCR	AND	ON	2007/07/19 17:18
S54	27	(@ad<"20031201") and (verif\$4 or check\$4 or determin\$4) near4 ("same" or match\$4 or identical) near3 (time near2 server)	US-PGPUB; USPAT; USOCR	AND	ON	2007/07/19 17:21
S55	8	(@ad<"20031201") and (verif\$4 or check\$4 or determin\$4) near4 ("same" or match\$4 or identical) near3 (time adj server)	US-PGPUB; USPAT; USOCR	AND	ON	2007/07/19 17:22
S56	8	(@ad<"20031201") and (verif\$4 or check\$4 or determin\$4) near4 ("same" or match\$4 or identical) near3 ("time server")	US-PGPUB; USPAT; USOCR	AND	ON	2007/07/19 17:22
S58	0	(@ad<"20031201") and (predictable or consistent) near4 ((time or delay or interval) near4 (separating or between) near4 (sending) near2 (message))	US-PGPUB; USPAT; USOCR	AND	ON	2007/07/20 09:33

EAST Search History

S59	(6)	(@ad<"20031201") and ((time or delay or interval) near4 (separating or between) near4 (sending) near2 (message) near2 (second or subsequent))	US-PGPUB; USPAT; USOCR	AND	ON	2007/07/20 09:57
S60	(15)	(@ad<"20031201") and ((time or delay or interval) near4 (separating or between) near4 (sending) near2 (message) near5 (second or subsequent))	US-PGPUB; USPAT; USOCR	AND	ON	2007/07/20 09:58
S61	(15)	(@ad<"20031201") and ((time or delay or interval) near4 (separating or between) near4 (sending) near2 (message) near5 (second or subsequent or multiple or plural\$5))	US-PGPUB; USPAT; USOCR	AND	ON	2007/07/20 10:24
S66	(5)	(@ad<"20031201") and ((time or delay or interval or rate or speed) near3 (send\$5 or transmit\$6) near3 (message) near2 (multiple or several or series)) near4 (second or us or ms)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 10:30
S69	72	(@ad<"20031201") and (send\$3 or transmit\$3) near2 (message or transmission) near3 (per adj second)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 10:33
S72	(1)	(@ad<"20031201") and (message near3 transmission near3 rate) and 709/248.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 10:36
S73	(17)	(@ad<"20031201") and (separate near5 message near5 (predictable or constant or set or predetermined) near3 (time or interval))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 11:05
S77	(17)	(@ad<"20031201") and (((time or clock) near3 (synchroniz\$6)) near4 message) same ((predeterm\$6 or predictabl\$5) near3 interval)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 11:24
S78	(2)	"5740541".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 11:24

EAST Search History

S79	0	(@ad<"20031201") and (((time or clock) near3 (synchroniz\$6)) near4 message) and (seperat\$4 near3 message near3 (predictable or constant or predetermined) near3 (second or time or interval))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 11:25
S80	0	(@ad<"20031201") and ((time or clock) near3 (synchroniz\$6) near4 message) and ((space or spacing or seperate or seperating) near3 message near3 (predictable or constant or predetermined) near3 (second or time or interval))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 11:57
S81	501	(@ad<"20031201") and (gradual\$8 or slow\$8) near4 (synchroniz\$5 or align\$5) near3 (time or clock)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 11:57
S82	5	(@ad<"20031201") and ((gradual\$8 or slow\$8) near4 (synchroniz\$5 or align\$5) near3 (time or clock)) and 709/248.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 14:58
S83	2	"5953345".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 12:06
S84	63	(@ad<"20031201") and (sequence adj (number or numbering)) and 709/248.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 15:05
S85	9	(@ad<"20031201") and (compar\$5 or check\$5) near5 (sequence adj (number or numbering)) and 709/248.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 15:06
S86	9	(@ad<"20031201") and (compar\$5 or check\$5) near5 (sequence adj (number or numbering)) and (sequence adj (number or numbering)) and 709/248.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 15:10

EAST Search History

S89	81	(@ad<"20031201") and (compar\$5 or check\$5) near5 (sequence adj (number or numbering)) and (sequence adj (number or numbering)) same ((time or clock) near3 synchron\$8)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 15:24
S90	216	(@ad<"20031201") and (compar\$5 or check\$5) near5 (sequence adj (number or numbering)) near4 ("same" or match\$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 15:25
S91	35	(@ad<"20031201") and (compar\$5 or check\$5) near5 (sequence adj (number or numbering)) near4 ("same" or match\$2) and "709"/\$3. ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 15:26
S92	35	(@ad<"20031201") and (compar\$5 or check\$5) near5 (sequence adj (number or numbering)) near4 ("same" or match\$2) and "709"/\$3. ccls. and (sequence adj (number or numbering))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 15:30
S93	15	(@ad<"20031201") and (compar\$5 or check\$5) near5 (sequence adj (number or numbering)) near4 ("same" or match\$2) and "709"/\$3. ccls. and (sequence adj (number or numbering)) same (error or (missing near2 (packet or transmission or data)) or "out of order" or "out-of-order")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 15:59
S94	88	(@ad<"20031201" or @rlad<"20031201") and ((synchroniz\$8 or align\$8) near4 (time or clock)) same (wellbore or wellbor or "bore hole" or (oil near2 (well or drill or rig)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2007/07/21 14:27
S95	35	(@ad<"20031201" or @rlad<"20031201") and ((synchroniz\$8) near4 (time or clock)) same (wellbore or wellbor or "bore hole" or (oil near2 (well or drill or rig)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 16:21
S96	0	(@ad<"20031201" or @rlad<"20031201") and ((synchroniz\$8) near4 (time or clock)) same (wellbore or wellbor or "bore hole" or (oil near2 (well or drill or rig))) and (ADSL or DSL)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 16:21

EAST Search History

S97	39	(@ad<"20031201" or @rlad<"20031201") and (wellbore or wellbor or "bore hole" or (oil near2 (well or drill or rig))) and (NTP or "network time protocol")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 16:23
S98	0	(@ad<"20031201" or @rlad<"20031201") and (wellbore or wellbor or "bore hole" or (oil near2 (well or drill or rig))) and ("network time protocol")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 16:23